



Contribution ID: 12

Type: Nuclear and Particle Physics

Between the s and r Process: Nuclear Data Needs of Radioactive Species to Understand Stellar Abundances from the Early Universe

Wednesday, 16 February 2022 08:24 (12 minutes)

The observation of elemental abundances in the most metal-poor stars have revealed the operation of a neutron-capture regime intermediate between the familiar slow (s) and rapid (r) process regimes. This i process can be activated when the H- and He-burning shells interact convectively, which is possible in low-metallicity conditions found in the early universe. The i process is the result of a sequence of neutron captures that involves unstable species two to six mass numbers away from the valley of stability. I will report 3D stellar hydrodynamic simulations that are now revealing the complex stellar conditions under which the i process operates, and the substantial body of work that has quantitatively established which nuclear data is most urgently needed to enable realistic modeling and interpretation of i-process observations of early universe stars. This is needed to pin down the exact location of the i process, which remains uncertain.

email address

pherwig@uvic.ca

Please select: Experiment or Theory

Theory

Primary authors: HERWIG, Falk (University of Victoria); DENISENKOVA, Pavel

Presenter: HERWIG, Falk (University of Victoria)

Session Classification: Nuclear Physics / Nuclear Astrophysics / Gravitational Waves