Contribution ID: 11

Type: Contributed Oral

# **Decay Rates of Positronium Species**

Saturday, 18 February 2023 10:00 (15 minutes)

It has been known for many years that an electron and its antiparticle, the positron, may together form a metastable hydrogen-like atom, known as positronium or Ps. In 1946, Wheeler speculated that two Ps atoms may combine to form the positronium molecule ( $Ps_2$ ) stable with respect to auto-dissociation. In 2007, the existence of  $Ps_2$  was confirmed experimentally by David Cassidy and Allen Mills at the University of California.

I will present a determination of the radiation-less and two photon decay rates of Ps<sub>2</sub>. We employ a simple technique to compute the amplitudes and write the products of spinors in terms of gamma matrices, which reduces the computational time and provides more insights into the physics of a reaction. After testing the method with the well known problem of para-positronium (p-Ps) and positronium ion (Ps<sup>-1</sup>), I will present decay rate calculation of Ps<sub>2</sub>  $\rightarrow e^-e^+$  and Ps<sub>2</sub>  $\rightarrow \gamma\gamma$ , and demonstrate that the previously published results are incorrect.

#### Supervisor

Andrzej Czarnecki

# **Funding Agency**

Supervisor

## **Supervisor Email**

andrzejc@ualberta.ca

## Your Email

mmubashe@ualberta.ca

**Primary authors:** Prof. CZARNECKI, Andrzej (University of Alberta); MUBASHER, Muhammad (University of Alberta)

Presenter: MUBASHER, Muhammad (University of Alberta)

Session Classification: February 18 Morning Session

Track Classification: Particle Physics