


2023/02/17

Discoveries in the Deep: Opportunities at SNOLAB

Jodi Cooley

Executive Director | SNOLAB Professor of Physics | Queen's University Adjunct Research Professor | SMU








SNOLAB hosts rare event searches and measurements. It's located 2 km underground in the active Vale Creighton nickel mine near Sudbury, Ontario, Canada.

SNOLAB is operated jointly by University of Alberta, Carleton University, Laurentian University, University of Montreal, and Queen's University

SNOLAB operations are funded by the Province of Ontario, and the Canada Foundation for Innovation





"A visit to SNOLAB" on YouTube








SNOLAB is underground to shield high energy radiation from space, and clean to remove backgrounds from dirt

- Astrophysical systems emit high energy radiation which create muons in Earth's atmosphere
- 2 km granite shield
- SNOLAB has the lowest muon fluxes available
- Clean room throughout the underground facility
 - Dirt is high in radioactivity to us
- Growing community of users
- Rare event searches require low backgrounds


000 000








SNOLAB layout




5000 m² of class 2000 cleanroom underground. <2000 particles >0.5 μ m in diameter per ft³

Area	Dimensions	Area	
SNO Cavern	24m (dia) x 30m(h)	250m ²	9
Ladder Labs	32m(l)x6m(w)x5.5m(h)	190m ²	
	23m(l)x7.5m(w)x7.6m(h)	170m ²	1
Cube Hall	18.3m(l)x15m(w) x 19.7m(h)	280m ²	
Cryopit	15m(dia) x 19.7m(h)	180m ²	



Large Cavity Status



Small Cavity Status


Halo Stub

HALO potential breakthrough for future expansion

Ladder Labs

PICO40, SBC, CUTE, SuperCDMS

Low Background Lab HPGe assay/screening, XRF, Radon Boards, FLAME future XIA, CTBT Dual HPGe







SNOLAB people enable science

- Scientific
- Engineering
- Construction
- Operations

- Excavation
- Fabrication
- Integration

Laurentian University is the research anchor for the user base



SNOLAB has a focus on User Support

Sudbury hosts a strong mining/industrial base that projects can draw from










Cleanliness is critical to SNOLAB operations and science









New Underground LN2 Plant

The LN2 Plant is operational since May 2022, creating high purity LN2 (99.999%)^{*} at 3,000 L/week.

It is currently used for cooling down the HPGe detectors and will soon provide it GN2 through the LBL gas distribution system. It is currently supplying the CUTE facility, and soon all users at

SNOLAB will use this LN2 system.

0

0

* <0.001% oxygen









Additional SNOLAB Infrastructure

Power and Cooling (~2 MW capacity) Backup Generator (2019) Purified water (140 L/min capacity) Purified liquid scintillator (LAB+PPO) Network (10 Gb/s, more fibers available) Wet chemistry lab (fume hood just operational) Machine shop at surface and underground

Surface laboratories for additional chemistry and assembly (4700 ft², class 1000) Offices, Meeting rooms, Auditorium



Open source code: https://github.com/pnnl/Radiopurity-database-assistant

Updated Radiopurity.org Framework Pacific Northwest National Laboratory, SNOLAB

Material Assay Data Format (MADF)

Standardized, but flexible, json format

Database Assistant New!

Open source format for storing, displaying and manipulating MADFs

Public instance maintained by SNOLAB https://www.radiopurity.org/ **Upgraded!** Can share results easily with community when ready



MongoDB Database and python-based toolkit

Up-to-date standardized codebase

Improved structure, ability to modify

'old versions' collection in database to track changes to entries (linked by document ID)

This replaces a deprecated CouchDB database (Persephone)







Science Strategy


The science at SNOLAB is currently focused on fundamental particle physics. Primarily looking at further **investigating the nature of matter**. Specifically:


- What is **the nature of dark matter**?
- What is the nature of the neutrino?

SNOLAB is interested in collaborating on any scientific research that requires deep underground facilities. For example:

- Neutrino observatories (solar, supernovae, geo, reactor, etc.)
- Effects of radiation on biological systems
- Environmental monitoring (nuclear non-proliferation, aquifers, etc.)
- Effects of radiation on quantum technologies













Dark Matter @ SNOLAB







Supernovae Ia



Big Bang nucleosynthesis


Dark Energy 68.3%





Direct Detection Principles

Assume that the dark matter is not only gravitationally interacting (WIMP).



- Elastic scatter of a WIMP off a nucleus
- > Imparts a small amount of energy in a recoiling nucleus
- > Can occur via spin-dependent or spin-independent channels
- > Need to distinguish this event from the overwhelming number of background events







Direct Detection Detector Response


Count individual energy quanta

• Energy is detected via heat, ionization, and/or scintillation

The experiments at SNOLAB utilize all these techniques

- Bubble chambers and cryogenic detectors measure heat
 - PICO, SBC, SuperCDMS
- Semiconductors and gas detectors detect ionization
 - DAMIC, SENSEI, Oscura, NEWS-G, SuperCDMS
- Liquid argon scintillates well
 - DEAP-3600, SBC






The direct detection of dark matter experiments are currently the most common experiment type at SNOLAB! I apologize that I will not be able to cover all of them!






SuperCDMS SNOLAB

- SuperCDMS SNOLAB construction is underway in the Ladder Lab.
- We expect world leading science results from commissioning runs of some of the detectors in the CUTE test facility.



SuperCDMS SNOLAB

- SuperCDMS SNOLAB construction is underway in the Ladder Lab.
- We expect world leading science results from commissioning runs of some of the detectors in the CUTE test facility.
- Initial payload 4 towers, each w/6 detectors (1.39 kg Ge crystals, 0.61 kg Is crystals) each 100 mm diameter, 33.3 mm thick:
 - 2 HV (4 Ge + 2 Si)
 - 2 iZIP (6 Ge & 4 Ge + 2 Si)



The latest photos...






Neutrino Program @ SNOLAB




Double Beta Decay

2 neutrino double beta decay is allowed in some isotopes, involves transformation of 2 neutrons into two protons







If neutrinos are Majorana particles, then neutrino-less double beta decay should be allowed.


 \mathbf{O}



Sensitivity of Next Generation $0\nu\beta\beta$ Decay Experiments

Goal of next generation $0\nu\beta\beta$ decay experiments 3σ sensitivity to effective Majorana neutrino mass parameter mg = 15meV











Implications on Background Requirements







Ονββ Decay at SNOLAB



nEXO

Clean Roon

Platform Gantry Crane

Xenon and


Calibration System


- 5000 kg xenon TPC detector Enriched with 90% ¹³⁶Xe enables sensitivity that reaches the Inverted Mass Ordering Builds on success of EXO-200 \bullet Currently in design phase

SNO+

- Plan to add more than 1,000 kg of ¹³⁰Te to the detector with sensitivity that reaches the Inverted Mass Ordering
- Tellurium plant has been installed and preparations are ongoing for systems tests.







LEGEND-1000

- 1000 kg of Ge detectors enriched to more than 90% in ⁷⁶Ge enables sensitivity to the inverted mass ordering
- operated in a liquid argon active shield
- Builds on success of GERDA and Majoranna
- Currently in design phase \bullet

Lock System

Work deck & glove boxes


Isolation valves

Re-entrant tubes


7m cryostat

12m water tank











Concluding Points

- SNOLAB is a clean, underground laboratory hosting a variety of experiments.
- Experimental collaborations have produced many dark matter and neutrino results at SNOLAB, and many more are expected over the next decade
- I am very excited about the opportunities that SNOLAB provides the scientific community. I believe SNOLAB well positioned to attract world-class experiments and support major discoveries in the next decade.













Université de Montréal





UNIVERSITY OF ALBERTA









28

Questions?

