Conference on Flavor Physics and CP Violation (FPCP 2019)

Report of Contributions

Holographic QCD predictions for r ...

Contribution ID: 1

Type: Contributed Oral

Holographic QCD predictions for rare B decays

Wednesday, 8 May 2019 14:55 (15 minutes)

Light-front wavefunctions obtained from holographic AdS/QCD are used to obtain the distributions amplitudes for light mesons. Consequently, alternate predictions for B transition to light mesons form factors are presented. In this talk, I compare our results for rare B decays to those obtained from QCD sum rules.

Funding Agency

NSERC

Email

mahmady@mta.ca

Primary author: Dr AHMADY, Mohammad (Mount Allison University)
Co-author: Dr SANDAPEN, Ruben (Acadia University)
Presenter: Dr AHMADY, Mohammad (Mount Allison University)
Session Classification: Parallel session 2

Meson-Hybrid Mixing in Vector a...

Contribution ID: 2

Type: Contributed Oral

Meson-Hybrid Mixing in Vector and Axial Vector Charmonium

Thursday, 9 May 2019 17:15 (15 minutes)

We investigate mixing between conventional mesons and hybrid mesons in vector and axial vector charmonium using the QCD sum-rules formalism. We compute meson-hybrid cross correlators within the operator product expansion, taking into account condensate contributions up to and including those of dimension-six as well as composite operator renormalization-induced diagrams. Using measured masses of charmonium states as input, we probe known resonances for nonzero coupling to both conventional meson and hybrid meson currents, a signal for meson-hybrid mixing.

Funding Agency

NSERC

Email

derek.harnett@ufv.ca

Primary author: Dr HARNETT, Derek (University of the Fraser Valley)

Co-authors: Mr PALAMETA, Alex (University of Saskatchewan); Mr HO, Josha (Deloitte Canada); Dr STEELE, Tom (University of Saskatchewan)

Presenter: Dr HARNETT, Derek (University of the Fraser Valley)

Session Classification: Parallel session 1

Track Classification: Heavy non-q\bar{q} Mesons and Pentaquarks

CP Violation in $\bar{B} \to D^* \ell^- \bar{\nu}$

Contribution ID: 3

Type: Contributed Oral

CP Violation in $\bar{B} \rightarrow D^* \ell^- \bar{\nu}$

Wednesday, 8 May 2019 13:55 (15 minutes)

At present, there are discrepancies with the predictions of the SM in $\bar{B} \to D^{(*)} \ell^- \bar{\nu}$ decays, suggesting the presence of new physics (NP) in $b \to c\tau^- \bar{\nu}$. Various NP models have been proposed to explain the data. In this talk, I discuss how the measurement of CP-violating observables in $\bar{B} \to D^* \ell^- \bar{\nu}$ can be used to differentiate the NP scenarios.

Funding Agency

NSERC

Email

london@lps.umontreal.ca

Primary author: Prof. LONDON, David (Universite de Montreal)

Co-authors: Prof. DATTA, Alakabha (University of Mississippi); Dr BHATTACHARYA, Bhubanjyoti (Lawrence Technological University); Mr KAMALIB, Saeed (University of Mississippi)

Presenter: Prof. LONDON, David (Universite de Montreal)

Session Classification: Parallel session 1

New Physics in $b \rightarrow c\tau\nu$: Impact of Polarisation Observables and $B_c \rightarrow \tau\nu$

Tuesday, 7 May 2019 16:15 (15 minutes)

In this talk I review the status of new physics in $b \to c\tau\nu$ transitions in the EFT framework of dimension-six operators. The fit results, including the recent measurement of $F_L(D^*)$, are presented for all one- and two-dimensional scenarios resulting from the tree level exchange of a single new particle. Particular emphasis is put on the constraint from the $B_c \to \tau\nu$ decay rate. I introduce a sum rule for the branching ratios of $B \to D\tau\nu$, $B \to D^*\tau\nu$ and $\Lambda_b \to \Lambda_c\tau\nu$ which holds for any NP contribution to the Wilson coefficients and predicts an enhancement of the latter decay w.r.t. the Standard Model. I discuss correlations between the polarisation observables in $B \to D\tau\nu$, $B \to D^*\tau\nu$ and their model-discriminating prospects. The talk is based on the results published in https://arxiv.org/abs/1811.09603.

Email

marta.moscati@kit.edu

Primary author: MOSCATI, Marta (Karlsruhe Institute of Technology (KIT))Presenter: MOSCATI, Marta (Karlsruhe Institute of Technology (KIT))Session Classification: Parallel session 2

Track Classification: Heavy Quark Decays and CKM Metrology

Combined explanation of the B- ...

Contribution ID: 5

Type: Contributed Oral

Combined explanation of the B-anomalies.

Tuesday, 7 May 2019 16:45 (15 minutes)

There are four models of tree-level new physics (NP) that can potentially simultaneously explain the $b \rightarrow s\mu^+\mu^-$ and $b \rightarrow c\ell^-\bar{\nu}$ anomalies. They are the S3, U3, and U1 leptoquarks, and a triplet of standard-model-like vector bosons (VBs). In this talk, I describe an analysis of these models with general couplings. We find that, even in this most general case, S_3 and U_3 are excluded. For the U1 model, I discuss the importance of the constraints from leptonflavor-violating processes. As for the VB model, it is shown to be excluded by the LHC bounds on high-mass resonant dimuon pairs. This conclusion is reached without any assumptions about the NP couplings.

Email

jacky.kumar@umontreal.ca

Primary author: Dr KUMAR, Jacky (University of Montreal, Montreal)

Co-authors: Prof. LONDON, David (Universite de Montreal); Dr WATANABE, Ryoutaro (INFN, Sezione di Roma Tre, 00146 Rome, Italy)

Presenter: Dr KUMAR, Jacky (University of Montreal, Montreal)

Session Classification: Parallel session 1

Type: Contributed Oral

Angular analysis of $B_{(s)} \rightarrow K_1(\phi) ll$ decay modes

The LHCb experiment has reported discrepancy of $(2.2 - 2.4)\sigma$ in the μ/e ratio of $\bar{B} \to \bar{K}^* l^+ l^$ process, R_{K^*} , which reinforce the hints of lepton non-universality observed in $B^+ \to K^+ l^+ l^$ process. We investigate the analogous lepton non-universality ratios and other asymmetries in $B \to K_1 l^+ l^-$ and $B_s \to \phi l^+ l^-$ processes both in model dependent and independent approches. We constrain the new parameter space consistent with experimental limit on $Br(B_s \to ll)$, $Br(\bar{B} \to X_s ll)$, $Br(\bar{B} \to K^{(*)} \nu_l \bar{\nu}_l)$, $Br(\bar{B} \to X_s \nu_l \bar{\nu}_l)$, R_K and R_{K^*} parameters. We then show the effects of new parameters on the branching ratios, forward-backward asymmetries, CP violating parameters of $B_{(s)} \to K_1(\phi) l^+ l^-$ processes. As like $R_{K^{(*)}}$, we also check the existence of the violation of lepton universality in these decay modes. We observe that the analysis of Bdecays to axial vector mesons can also serve as a good tool to probe physics beyond the SM.

Email

suchismita8792@gmail.com

Primary author: Dr SAHOO, Suchismita (Physical Research Laboratory)

Presenter: Dr SAHOO, Suchismita (Physical Research Laboratory)

CP asymmetries in beauty & char...

Contribution ID: 7

Type: Contributed Oral

CP asymmetries in beauty & charm hadrons

Wednesday, 8 May 2019 14:40 (15 minutes)

CP violations have been established in beauty mesons basically in two-body states, but so far not for charm mesons. Yet it is crucial to measure CP asymmetries in many-body final states – including for beauty & charm baryons!

Non-perturbative QCD gives large impact. [Of course, these results do not help us to understand the matter vs. anti-matter in our Universe.]

Funding Agency

NSF

Email

ibigi@nd.edu

Primary author: Prof. BIGI, Ikaros (Physics Department, University of Notre Dame)

Presenter: Prof. BIGI, Ikaros (Physics Department, University of Notre Dame)

Session Classification: Parallel session 1

Type: Contributed Oral

Results from the CUORE experiment

Thursday, 9 May 2019 17:00 (15 minutes)

The Cryogenic Underground Observatory for Rare Events (CUORE) is the first bolometric experiment searching for neutrinoless double beta decay ($0\nu\beta\beta$) that has been able to reach the one-ton scale. The detector consists of an array of 988 TeO₂ crystals arranged in a compact cylindrical structure of 19 towers. The construction of the experiment was completed in August 2016 with the installation of all towers in the cryostat. Following a cooldown, diagnostic, and optimization campaign, routine data-taking began in spring 2017. In this talk, we present the $0\nu\beta\beta$ results of CUORE from examining a total TeO₂ exposure of 86.3 kg·yr, characterized by an average energy resolution of 7.7 keV FWHM and a background in the region of interest of 0.014 counts/(keV·kg·yr). In this physics run, CUORE placed the current best lower limit on the ¹³⁰Te $0\nu\beta\beta$ half-life of > 1.3 × 10²⁵ yr (90% C.L.). We then discuss the additional improvements in the detector performance achieved in 2018, the latest evaluation of the CUORE background budget, and we finally present the most precise measurement of the ¹³⁰Te $2\nu\beta\beta$ half-life to date.

Email

beschmidt@lbl.gov

Primary author: SCHMIDT, Benjamin (Lawrence Berkeley National Laboratory)Presenter: SCHMIDT, Benjamin (Lawrence Berkeley National Laboratory)Session Classification: Parallel session 1

Track Classification: Neutrino Physics and PMNS Metrology

Type: Contributed Oral

BESIII plans for the XYZ studies: the case of the Y(4660)

Since few years, a new family of exotic states has been appearing above the open-heavy meson thresholds: the so-called XYZ states. BESIII at the BEPCII e+e- collider plays a unique role in the study of those particles in the charmonium sector. Changing the beam energy, BESIII can collect large data samples by means of scans of the resonant region, accessing directly to all vector states. As part of a larger upgrade program, BESIII has planned to increase the center of mass energy to reach 4.7 GeV: this will allow BESIII to investigate the nature of the Y(4660), that was first observed by Belle and BaBar after Initial State Radiation only in \pi\pi psi(2s) and Lambda_c anti-Lambda_c final states. The relative branching ratio seems to point toward a baryonium interpretation of the resonance, as expected in Rossi-Veneziano model. BESIII can directly measure the cross sections around the expected peak position and verify this prediction. In this presentation, the status of the XYZ searches at BESIII will be presented, with a focus also on the plans for the newest data taking and for the Y(4660) studies.

Funding Agency

Istituto Nazionale di Fisica Nucleare

Email

gmezzadr@fe.infn.it

Primary author:BESIII, Collaboration (IHEP)Presenter:BESIII, Collaboration (IHEP)

Renormalization Effects on Electri ...

Contribution ID: 10

Type: Contributed Oral

Renormalization Effects on Electric Dipole Moments in Electroweakly Interacting Massive Particle Models

Tuesday, 7 May 2019 17:15 (15 minutes)

We study the renormalization effects on electric dipole moments in the models with new electroweakly interacting massive fermions. The electric dipole moments are generated by the effective operators which arise from integrating out heavy particles at some scale in the models. We give the renormalization group equation for the Wilson coefficients of the effective operators from the scale where the operators are generated to the electroweak scale. Our numerical studies focus on the electric dipole moments in the mini-split supersymmetric scenario and the electroweakly interacting massive particle dark matter scenario. It turns out that the renormalization effects can give an enhancement factor being of the order of O(10)% in the mini-split scenario and being more than two in the minimal dark matter model.

Email

kuwahara@ibs.re.kr

Primary author: Dr KUWAHARA, Takumi (Institute for Basic Science)
Co-authors: Dr NAGAI, Ryo (ICRR); Mr KURAMOTO, Wataru (Nagoya University)
Presenter: Dr KUWAHARA, Takumi (Institute for Basic Science)
Session Classification: Parallel session 2

Type: Contributed Oral

Production of Lambda_b baryon and B0s mesons at LHCb

Tuesday, 7 May 2019 16:30 (15 minutes)

Heavy hadron production is well-suited as a benchmark process for understanding QCD. While b-quark production properties can be estimated within perturbative QCD, the subsequent fragmentation into a b hadron is a non-perturbative process and cannot be calculated from the first principles. Our understanding of fragmentation functions and fractions thus relies solely on experimental input. Recently, LHCb have taken a closer look at the properties of Lambda_b baryon and B_s meson production. The new results demonstrate that b-quark fragmentation clearly depends on the kinematics of the hadrons produced, and shed welcome light on B_s production.

Email

kmueller@physik.uzh.ch

Primary authors: MUELLER, Katharina (University of Zurich); TOLK, Siim (LHCb)

Presenter: TOLK, Siim (LHCb)

Session Classification: Parallel session 2

Track Classification: Heavy Quark Decays and CKM Metrology

Test of CP violation and measurem ...

Contribution ID: 12

Type: Contributed Oral

Test of CP violation and measurement of mixing in charm at LHCb

Wednesday, 8 May 2019 14:10 (15 minutes)

The copious number of D0 decays collected by the LHCb experiment during 2011-2018 enables tests for CP violation in charm decays and measurements of the D0 mixing parameters with unprecedented precision. To take maximum advantage of these statistics, control of systematic uncertainties is becoming more and more important, and will be even more so after the planned upgrades of the LHCb detector. We present the latest LHCb measurements of mixing and indirect CP violation in the decay of D0 mesons.

Email

kmueller@physik.uzh.ch

Primary authors: MUELLER, Katharina (University of Zurich); PAJERO, Tommaso (Pisa)

Presenter: PAJERO, Tommaso (Pisa)

Session Classification: Parallel session 1

Search for the forbidden decays ...

Contribution ID: 13

Type: Contributed Oral

Search for the forbidden decays $D^0 \to hh'll'$ and observation of $D^0 \to K^-\pi^+e^+e^-$

Tuesday, 7 May 2019 16:15 (15 minutes)

Decay modes with two oppositely charged leptons of different flavor correspond to lepton flavor violating (LFV) decays and are essentially forbidden in the Standard Model (SM) because they can occur only through lepton mixing. Decay modes with two leptons of the same charge are lepton-number violating (LNV) decays and are forbidden in the SM. Hence, decays of the form $D^0 \rightarrow hh' ll'$ provide sensitive tools to investigate new mediators or couplings in physics beyond the SM.

In this talk, we report on a search for decays of the type $D^0 \rightarrow hh' ll'$ (with $h, h' = K/\pi$ and $l, l' = e/\mu$) using data taken by the BABAR experiment at the PEP-II e^+e^- collider at the SLAC National Accelerator Laboratory. Upper limits on the branching fractions are improved by up to two orders of magnitude.

We also report on the observation of the flavor-changing neutral current (FCNC) decay $D^0 \rightarrow K^- \pi^+ e^- e^+$, which is strongly suppressed in the SM

because of the Glashow-Iliopoulos-Maiani (GIM) mechanism.

We measure $\mathcal{B}(D^0 \to K^- \pi^+ e^- e^+) = (4.0 \pm 0.5) \times 10^{-6}$ in the di-lepton mass range $0.675 < m(e^+e^-) < 0.875 \text{ GeV}/c^2$, where the production of the intermediate state $\rho \to e^+e^-$ dominates, and set upper limits for decays outside this interval where long-distance effects are not expected to be significant.

Email

fabio.anulli@roma1.infn.it

Primary authors: Prof. SOFFER, Abner (Tel Aviv University); ANULLI, Fabio (INFN Sezione di Roma)

Presenter: Prof. SOFFER, Abner (Tel Aviv University)

Session Classification: Parallel session 1

Measurement of hadronic cross se ...

Contribution ID: 14

Type: Contributed Oral

Measurement of hadronic cross sections with the BABAR detector

Tuesday, 7 May 2019 17:15 (15 minutes)

A program of measuring the light hadrons production in exclusive $e^+e^- \rightarrow$ hadrons processes is in place at BABAR with the aim to improve the calculation of the hadronic contribution to the muon g - 2. We present the most recent results obtained by using the full data set of about 470 fb⁻¹ collected by the BABAR experiment at the PEP-II e^+e^- collider at a center-of-mass energy of about 10.6 GeV.

In particular, we report the results on the channels $e^+e^- \rightarrow \pi^+\pi^-\pi^0\pi^0\pi^0$, e^+e^- \to \pi^+\pi^- \pi^0\pi^0\pi^0\eta, and e^+e^- \to \pi^+\pi^-\eta. These final states are studied in a wide mass range, from threshold production of the product of the states are studied in a state of the product of the states are studied in a state of the product of the p

Email

fabio.anulli@roma1.infn.it

Primary author: ANULLI, Fabio (INFN Sezione di Roma)

Presenter: Dr EBERT, Marcus (University of Victoria)

Session Classification: Parallel session 1

Searching for leptoquarks with the ...

Contribution ID: 15

Type: Contributed Oral

Searching for leptoquarks with the ATLAS detector

Wednesday, 8 May 2019 14:10 (15 minutes)

Leptoquarks (LQ) are predicted by many new physics theories to describe the similarities between the lepton and quark sectors of the Standard Model and offer an attractive potential explanation for the lepton flavour anomalies observed at flavour factories. The ATLAS experiment has a broad program of direct searches for leptoquarks, coupling to the first-, second- or third-generation particles. This talk will present the most recent 13 TeV results on the searches for pair-produced leptoquarks with the ATLAS detector, covering all three generations, and highlight their complementarity.

Email

james.ferrando@desy.de

Primary author: FERRANDO, Jamees (DESY)

Presenter: Mr WONG, Vincent (U. of British Columbia)

Session Classification: Parallel session 2

Track Classification: Flavor and the Higgs and Dark Sectors

Type: Contributed Oral

Measurement of the CKM angle γ with Belle II

Tuesday, 7 May 2019 17:30 (15 minutes)

The CKM angle γ is the least well known of the angles of the unitarity triangle and the only one that is accessible with tree-level decays in a theoretically clean way. The Belle II experiment is a substantial upgrade of the Belle detector and will operate at the SuperKEKB energy-asymmetric e^+e^- collider. The accelerator has already successfully completed the first phase of commissioning with the first electron positron collisions in Belle II recorded in 2018. The design luminosity of SuperKEKB is $8 \times 10^{35} \text{ cm}^{-2} \text{s}^{-1}$ and the Belle II experiment aims to record 50 ab⁻¹ of data, a factor of 50 more than the Belle experiment. The key method to measure γ is through the interference between $B^+ \rightarrow D^0 K^+$ and $B^+ \rightarrow \overline{D}^0 K^+$ decays which occurs if the final state of the charmmeson decay is accessible to both the D^0 and \overline{D}^0 mesons. To achieve the best sensitivity, a large variety of D and B decay modes is required, which is possible at Belle II experiment as almost any final state can be reconstructed including those with photons. With the ultimate Belle II data sample of 50 ab⁻¹, a determination of γ with a precision of 1 degree or better is foreseen. This talk will explain the details of the planned measurement at Belle II and include results related to these measurements obtained with the data already collected.

Funding Agency

INFN

Email

peruzzi@lnf.infn.it

Primary author: Prof. PERUZZI, Ida Marena (INFN-LNF)

Presenter: ROUT, Niharika (IIT - Madras)

Session Classification: Parallel session 1

Track Classification: Heavy Quark Decays and CKM Metrology

Exotic Quarkonium Physics Prosp ...

Contribution ID: 18

Type: Contributed Oral

Exotic Quarkonium Physics Prospects at Belle II

Thursday, 9 May 2019 17:30 (15 minutes)

The Belle II experiment at the SuperKEKB energy-asymmetric e^+e^- collider is a substantial upgrade of the B factory facility at KEK in Tsukuba, Japan. It aims to record a factor of 50 times more data than its predecessor. The experiment completed a commissioning run in 2018, and began full operation in early 2019. Belle II is uniquely capable of studying the so-called "XYZ" particles: heavy exotic hadrons consisting of more than three quarks. First discovered by Belle, these now number in the dozens, and represent the emergence of a new category within quantum chromodynamics. This talk will present the prospects of Belle II to explore both exotic and conventional quarkonium physics.

Funding Agency

INFN

Email

peruzzi@lnf.infn.it

Primary author: Prof. PERUZZI, Ida Marena (INFN-LNF)Presenter: Dr BENNETT, Jake (University of Mississippi)Session Classification: Parallel session 1

Track Classification: Heavy non-q\bar{q} Mesons and Pentaquarks

Dark Sector Physics with Belle II

Contribution ID: 19

Type: Contributed Oral

Dark Sector Physics with Belle II

Thursday, 9 May 2019 17:00 (15 minutes)

The Belle II experiment is a substantial upgrade of the Belle detector and will operate at the SuperKEKB energy-asymmetric e^+e^- collider. The design luminosity of the machine is 8×10^{35} cm⁻²s⁻¹ and the Belle II experiment aims to record 50 ab⁻¹ of data, a factor of 50 more than its predecessor. From February to July of this year, the machine has completed a commissioning run, achieved a peak luminosity of 5.5×10^{33} cm⁻²s⁻¹, and Belle II has recorded a data sample of about 0.5 fb⁻¹. Already this data set with specifically designed triggers offers the possibility to search for a large variety of dark sector particles in the GeV mass range complementary to LHC and dedicated low energy experiments but these searches will benefit from more data soon to be accumulated. This talk will review the state of the dark sector searches at Belle II with a focus on the discovery potential of the early data.

Funding Agency

INFN

Email

peruzzi@lnf.infn.it

Primary author: Prof. PERUZZI, Ida Marena (INFN-LNF)Presenter: Prof. HEARTY, Christopher (U. British Columbia/IPP)Session Classification: Parallel session 2

Track Classification: Flavor and the Higgs and Dark Sectors

Impacts of QED radiative correctio ...

Contribution ID: 20

Type: Contributed Oral

Impacts of QED radiative corrections on R(D) ratios

Wednesday, 8 May 2019 14:55 (15 minutes)

A recent paper (Phys. Rev. Lett. 120, 261804) presented a new evaluation of radiative corrections in the decay channels involved in the ratios $\mathcal{R}(D^+)$ and $\mathcal{R}(D^0)$, which could explain part of the discrepancy between measurements and SM predictions. Using simulated events we quantify the difference between the results in this paper and Photos, which is used to simulate radiative corrections both by LHCb and the B-factories. In addition, we designed a simplified analysis in LHCb to quantify the effect of neglecting radiative corrections on measurements of $\mathcal{R}(D^+)$ and $\mathcal{R}(D^0)$. A paper on this analysis will be submitted to a journal shortly.

Email

suzanne.klaver@cern.ch

Primary author: Dr KLAVER, Suzanne (INFN e Laboratori Nazionali di Frascati (IT))
Presenter: Dr KLAVER, Suzanne (INFN e Laboratori Nazionali di Frascati (IT))
Session Classification: Parallel session 1

ATLAS measurements of CP Viola ...

Contribution ID: 21

Type: Contributed Oral

ATLAS measurements of CP Violation and Rare decays in Beauty mesons

Thursday, 9 May 2019 17:45 (15 minutes)

The ATLAS experiment has performed accurate measurements of mixing and CP violation in the neutral B mesons, and also of rare processes happening in electroweak FCNC-suppressed neutral B-mesons decays.

This talk will focus on the latest results from ATLAS, such as rare processes: $B^0_s \rightarrow mu$ mu and $B^0 \rightarrow mu$ mu; and CPV in Bs to Jpsi Phi.

Email

james.ferrando@desy.de

Primary authors: FERRANDO, James (DESY); Dr WALKOWIAK, Wolfgang (Siegen)

Presenter: Dr WALKOWIAK, Wolfgang (Siegen)

Session Classification: Parallel session 2

Time-dependent CPV in Bs decays ...

Contribution ID: 22

Type: Contributed Oral

Time-dependent CPV in Bs decays at LHCb

Wednesday, 8 May 2019 14:25 (15 minutes)

Time-dependent CP-violation measurements of beauty mesons allow the determination of the mixing-induced CP-violating phases phi_s and beta. The measurement of the phase phi_s in the Bs-Bsbar system is one of the key goals of the LHCb experiment due to the sensitivity to physics beyond the Standard Model (BSM). The CP-violating phase is of interest in penguin dominated b->s transitions, in addition to that of tree-level decays, which test the flavour changing neutral current interaction describing B mixing. Both are sensitive to BSM phases and provide valuable tests and constraints. We present new results of time-dependent CP violation using data collected at LHCb between 2011 and 2016.

Email

kmueller@physik.uzh.ch

Primary author: GABRIEL, Emmy (Edinburgh)Presenter: GABRIEL, Emmy (Edinburgh)Session Classification: Parallel session 1

Type: Contributed Oral

Early physics prospects for radiative and electroweak penguin decays at Belle II

Tuesday, 7 May 2019 17:45 (15 minutes)

The Belle II experiment at the SuperKEKB energy-asymmetric e^+e^- collider is a substantial upgrade of the B factory facility at the Japanese KEK laboratory. The design luminosity of the machine is 8×10^{35} cm⁻²s⁻¹ and the Belle II experiment aims to record 50 ab⁻¹ of data, a factor of 50 more than its predecessor. From February to July 2018, the machine has completed a commissioning run and the main operation of SuperKEKB has started in March 2019. Recent measurements of B decays proceeding through a flavor changing neutral current transition such as $b \to s$ transitions have shown deviations from the Standard Model (SM) prediction. These decays are forbidden at tree-level in the SM and can only occur via suppressed loop level diagrams. Rare decays of B mesons are thus an ideal probe for phenomena beyond the SM, since contributions from new particles can affect the decays at the same level as SM particles. In this presentation we will review the prospects for these decays. Especially radiative $b \to s\gamma$ decays can be measured on a small dataset and in the near future Belle II can provide independent tests of anomalies in $b \to s\ell\ell$ decays. Ultimately, the clean Belle II environment will allow to study modes with large missing energy such as $B \to K^* \nu \bar{\nu}$.

Email

peruzzi@lnf.infn.it

Primary author: Prof. PERUZZI, Ida Marena (INFN-LNF)Presenters: Dr SOFFER, Abi (Tel Aviv University); TAN, Justin (University of Melbourne)

Session Classification: Parallel session 1

Type: Contributed Oral

Semileptonic and leptonic B decay results from early Belle II data

Wednesday, 8 May 2019 14:25 (15 minutes)

The Belle II experiment at the SuperKEKB energy-asymmetric e^+e^- collider is a substantial upgrade of the B factory facility at the Japanese KEK laboratory. The design luminosity of the machine is 8×10^{35} cm⁻²s⁻¹ and the Belle II experiment aims to record 50 ab⁻¹ of data, a factor of 50 more than its predecessor. From February to July 2018, the machine has completed a commissioning run, achieved a peak luminosity of 5.5×10^{33} cm⁻²s⁻¹, and Belle II has recorded a data sample of about 0.5 fb⁻¹. Main operation of SuperKEKB has started in March 2019. In this presentation we show first results from studying missing energy signatures, such as leptonic and semileptonic B meson decays based on early Belle II data. We report first studies on re-measuring important standard candle processes, such as the abundant inclusive $B \to X \ell \nu$ and $B \to D^* \ell \nu$ decays, and evaluate the performance of machine learning based tagging algorithms. Furthermore, we will also present an overview of the semileptonic B decays that will be measured in the upcoming years at Belle II and discuss prospects for important B-anomalies like R(D) and R(D*), as well as other tests of lepton flavor universality.

Email

peruzzi@lnf.infn.it

Primary author: Prof. PERUZZI, Ida Marena (INFN-LNF)Presenter: Dr PRIM, Markus (Karlsruhe Institute of Technology)Session Classification: Parallel session 2

Track Classification: Heavy Quark Decays and CKM Metrology

Prospects for τ lepton physics at B ...

Contribution ID: 25

Type: Contributed Oral

Prospects for au lepton physics at Belle II

Tuesday, 7 May 2019 17:00 (15 minutes)

The Belle II experiment is a substantial upgrade of the Belle detector and will operate at the SuperKEKB energy-asymmetric e^+e^- collider. The design luminosity of the machine is 8×10^{35} cm⁻²s⁻¹ and the Belle II experiment aims to record 50 ab⁻¹ of data, a factor of 50 more than its predecessor. From February to July 2018, the machine has completed a commissioning run and main operation of SuperKEKB has started in March 2019. Belle II has a broad τ physics program, in particular in searches for lepton flavor and lepton number violations (LFV and LNV), benefiting from the large cross section of the pairwise τ lepton production in e^+e^- collisions. We expect that after 5 years of data taking, Belle II will be able to reduce the upper limits on LF and LN violating τ decays by an order of magnitude. Any experimental observation of LFV or LNV in τ decays constitutes an unambiguous sign of physics beyond the Standard Model, offering the opportunity to probe the underlying New Physics. In this talk we will review the τ lepton physics program of Belle II.

Email

peruzzi@lnf.infn.it

Primary author: Prof. PERUZZI, Ida Marena (INFN-LNF)Presenter: RODRIGUEZ PEREZ, David (Sinaloa University)Session Classification: Parallel session 1

Type: Contributed Oral

First look at time dependent CP violation using early Belle II data

Tuesday, 7 May 2019 17:00 (15 minutes)

The Belle II experiment at the SuperKEKB energy-asymmetric e^+e^- collider is a substantial upgrade of the B factory facility at the Japanese KEK laboratory. The design luminosity of the machine is 8×10^{35} cm⁻²s⁻¹ and the Belle II experiment aims to record 50 ab⁻¹ of data, a factor of 50 more than its predecessor. From February to July 2018, the machine has completed a commissioning run, achieved a peak luminosity of 5.5×10^{33} cm⁻²s⁻¹, and Belle II has recorded a data sample of about 0.5 fb⁻¹. Main operation of SuperKEKB has started in March 2019. This early data set is used to establish the performance of the detector in terms of reconstruction efficiency of final states of interest for the measurement of time dependent CP violation, such as $J/\psi K^{(*)0}$, $\eta' K_s$, and ϕK_s . A first assessment of the B flavor tagging capabilities of the experiment will be given, along with estimates of the Belle II sensitivity to the CKM angles ϕ_1/β and ϕ_2/α and to potential New Physics contributions in penguin amplitudes dominated decays and in $b \to s\gamma$ transitions.

Email

peruzzi@lnf.infn.it

Primary author: Prof. PERUZZI, Ida Marena (INFN-LNF)Presenter: Dr LACAPRARA, Stefano (INFN Padova)Session Classification: Parallel session 2

Type: Contributed Oral

B lifetime and $B^0 - \overline{B}^0$ mixing results from early Belle II data

Wednesday, 8 May 2019 14:40 (15 minutes)

The Belle II experiment at the SuperKEKB energy-asymmetric e^+e^- collider is a substantial upgrade of the B factory facility at the Japanese KEK laboratory. The design luminosity of the machine is 8×10^{35} cm⁻²s⁻¹ and the Belle II experiment aims to record 50 ab⁻¹ of data, a factor of 50 more than its predecessor. From February to July 2018, the machine has completed a commissioning run, achieved a peak luminosity of 5.5×10^{33} cm⁻²s⁻¹, and Belle II has recorded a data sample of about 0.5 fb⁻¹. Main operation of SuperKEKB has started in March 2019. We use this dataset to characterize the performance of the detector regarding the tracking of charged particles, the reconstruction of known resonances, and the capability of identifying displaced decay vertices. To assess the B Physics capabilities of the experiment, one of the first benchmarks consists in the measurement of the lifetime of B mesons and of the $B^0 - \overline{B}^0$ mixing frequency. We present the first results, based on samples of B mesons that decay to hadronic and semileptonic final states.

Email

peruzzi@lnf.infn.it

Primary author: Prof. PERUZZI, Ida Marena (INFN-LNF)Presenter: KANDRA, Jakub (Charles University)Session Classification: Parallel session 2

Track Classification: Heavy Quark Decays and CKM Metrology

Electric Dipole Moments From Da...

Contribution ID: 28

Type: Contributed Oral

Electric Dipole Moments From Dark Sectors

Thursday, 9 May 2019 17:15 (15 minutes)

We examine the sensitivity of electric dipole moments (EDMs) as precision observables for new CP-violating physics in a dark sector. Assuming that the dominant mediation channel is via one or more of the vector, Higgs or neutrino portals, we examine the leading EDM contributions. The dominant contributions arise at two-loop order, and EDMs can provide sensitivity to portal couplings that is complementary to direct probes at the intensity frontier or high energy colliders. In particular, we identify a significant two-loop contribution to the electron EDM, mediated through the singlet (Higgs plus neutrino) portal, for which EDMs already provide new and complementary sensitivity in the regime of large singlet neutrino masses.

Email

okawa@uvic.ca

Primary author: Dr OKAWA, Shohei (University of Victoria)

Co-authors: Dr RITZ, Adam (University of Victoria); Dr POSPELOV, Maxim (University of Victoria & Perimeter Institute)

Presenter: Dr OKAWA, Shohei (University of Victoria)

Session Classification: Parallel session 2

Track Classification: Flavor and the Higgs and Dark Sectors

Type: Contributed Oral

Sensitivity to the X(3872) total width at the Belle II experiment

Thursday, 9 May 2019 17:45 (15 minutes)

The Belle II experiment at the SuperKEKB energy-asymmetric e^+e^- collider is a substantial upgrade of the B factory facility at the Japanese KEK laboratory. The design luminosity of the machine is 8×10^{35} cm⁻²s⁻¹ and the Belle II experiment aims to record 50 ab⁻¹ of data, a factor of 50 more than its predecessor. From February to July 2018, the machine has completed a commissioning run and main operation of SuperKEKB has started in March 2019. The X(3872) is an exotic hadron candidate and studying the X(3872) partial widths is a good probe for the internal structure of this hadronic state. However, in order to derive partial widths, a measurement of its total width is needed. The large Belle II data set will provide an ideal environment to measure the X(3872) total width since it will be possible to use the $X(3872) \rightarrow D^0 \bar{D}^0 \pi^0$ decay, *whichhasabettermassresolutionthan*X(3872)\to J/\psi\pi^+\pi^-\$ used in earlier work. In this presentation, we will give an overview of the analysis and the expected sensitivity to the X(3872) total width

Email

peruzzi@lnf.infn.it

Primary author: Prof. PERUZZI, Ida Marena (INFN-LNF)Presenter: HIRATA, Hikari (Nagoya University)Session Classification: Parallel session 1

Track Classification: Heavy non-q\bar{q} Mesons and Pentaquarks

Observation of several sources of C ...

Contribution ID: 30

Type: Contributed Oral

Observation of several sources of CP violation in B+ -> pi+pi+pi- decays

Tuesday, 7 May 2019 16:45 (15 minutes)

Very large CP asymmetries in decays of B mesons to final states containing three charged particles have been observed and attracted much interest. We present new results from a Dalitz plot analysis of B->3pi using a data sample corresponding to an integrated luminosity of 3 fb-1 of pp collisions recorded by the LHCb detector. Significant CP violation from different sources (S-wave, D-wave,S-P wave interference etc.) are established and may shed new light on understanding the underlying dynamics for CP violation in hadronic B decays.

Email

kmueller@physik.uzh.ch

Primary authors: Dr GOMES DOS SANTOS NETO, Alvaro (UFTM, Brazil); MUELLER, Katharina (University of Zurich)

Presenter: Dr GOMES DOS SANTOS NETO, Alvaro (UFTM, Brazil)

Session Classification: Parallel session 2

Type: Contributed Oral

Higgs boson couplings to leptons at the ATLAS experiment

Testing the couplings of the Higgs boson to leptons is important to understand the origin of lepton masses. The talk presents cross section measurements in Higgs boson decays to two tau leptons, as well as a search for Higgs boson decays to two muons. Both analyses are based on pp collision data collected at 13 TeV.

Email

james.ferrando@desy.de

Primary author: FERRANDO, James (DESY)

Presenter: FERRANDO, James (DESY)

Track Classification: Flavor and the Higgs and Dark Sectors

Higgs boson couplings to quarks at ...

Contribution ID: 32

Type: Contributed Oral

Higgs boson couplings to quarks at the ATLAS experiment

Thursday, 9 May 2019 17:30 (15 minutes)

Testing the couplings of the Higgs boson to quarks is important to understand the origin of quark masses. The talk presents cross section measurements in Higgs boson decays to two b quarks, as well as a search for Higgs boson decays to two c quarks. It also presents measurements of Higgs boson production in association with a ttbar pair using Higgs boson decays to bbbar pairs, to two Z bosons, to other multi-lepton final states, and to a pair of photons. All analyses are based on pp collision data collected at 13 TeV.

Email

james.ferrando@desy.de

Primary author: FERRANDO, James (DESY)Presenter: Dr DAVID, Claire (DESY)Session Classification: Parallel session 2

Track Classification: Flavor and the Higgs and Dark Sectors

Type: Contributed Oral

Implications for New Physics in b->smumu transitions after recent measurements by Belle and LHCb

Tuesday, 7 May 2019 16:30 (15 minutes)

We present a Bayesian analysis of the implications for new physics in semileptonic $b \rightarrow s$ transitions after including new measurements of RK at LHCb and new determinations of RK* and RK*+ at Belle. We perform global fits with 2, 4, and 8 input Wilson coefficients, plus one CKM nuisance parameter to take into account uncertainties that are not factorizable. We infer the 68% and 95.4% credibility regions of the marginalized posterior probability density for all scenarios and perform comparisons of models in pairs by calculating the Bayes factor given a common data set. We then proceed to analyzing a few well-known BSM models that can provide a high energy framework for the EFT analysis. These include the exchange of a heavy Z boson in models with heavy vector-like fermions and a scalar field, and a model with scalar leptoquarks. We provide predictions for the BSM couplings and expected mass values.

Email

Dinesh.Kumar@ncbj.gov.pl

Primary author: Dr KUMAR, Dinesh (National Centre for Nuclear Research, Warsaw)Presenter: Dr KUMAR, Dinesh (National Centre for Nuclear Research, Warsaw)Session Classification: Parallel session 1

Bottom meson and baryon spectro ...

Contribution ID: 34

Type: not specified

Bottom meson and baryon spectroscopy

Wednesday, 8 May 2019 11:00 (30 minutes)

Primary author: Dr CAVELLERO, GiovanniPresenter: Dr CAVALLERO, Giovanni (Università degli Studi di Genova)Session Classification: B hadronic 1

Production rates and BFs of heavy ...

Contribution ID: 35

Type: not specified

Production rates and BFs of heavy hadrons (including onia)

Wednesday, 8 May 2019 11:30 (30 minutes)

Primary author:Dr RONCHESE, PaoloPresenter:Dr RONCHESE, PaoloSession Classification:B hadronic 1

Multi-body decays and time-...

Contribution ID: 36

Type: not specified

Multi-body decays and time-integrated CPV

Wednesday, 8 May 2019 12:00 (30 minutes)

Primary author: Dr SEVIOR, MartinPresenter: Dr SEVIOR, MartinSession Classification: B hadronic 1
Future neutrino facilities

Contribution ID: 37

Type: not specified

Future neutrino facilities

Monday, 6 May 2019 11:10 (30 minutes)

Primary author:Prof. HARRIS, DeborahPresenter:HARRIS, Deborah (Fermilab)Session Classification:Neutrinos 1

LFV in lepton decays

Contribution ID: 38

Type: not specified

LFV in lepton decays

Tuesday, 7 May 2019 11:40 (25 minutes)

Primary author: Dr GALLI, LucaPresenter: Dr GALLI, LucaSession Classification: Neutrinos 2

Neutrino in the SM and beyond

Contribution ID: 39

Type: not specified

Neutrino in the SM and beyond

LUV in neutral-current B decays - ...

Contribution ID: 40

Type: not specified

LUV in neutral-current B decays - theory

Monday, 6 May 2019 14:00 (30 minutes)

Primary author: Dr ALONSO, RodrigoPresenter: Dr ALONSO, RodrigoSession Classification: Neutral current and leptonic B decays

LFU in neutral-current B decays

Contribution ID: 41

Type: not specified

LFU in neutral-current B decays

Monday, 6 May 2019 14:30 (30 minutes)

Primary author: Dr PATEL, MiteshPresenter: Dr PATEL, MiteshSession Classification: Neutral current and leptonic B decays

b to sl+l- decays and K*l+l- angular ...

Contribution ID: 42

Type: not specified

b to sl+l- decays and K*l+l- angular distributions

Monday, 6 May 2019 15:00 (30 minutes)

Primary author: Prof. SEVIOR, MartinPresenter: Dr SEVIOR, Martin (University of Melbourne)Session Classification: Neutral current and leptonic B decays

Leptonic B decays - experimental s...

Contribution ID: 43

Type: not specified

Leptonic B decays - experimental status

Monday, 6 May 2019 15:30 (30 minutes)

Primary author: Dr CARLI, Ina (Charles University)Presenter: Dr CARLI, Ina (Charles University)Session Classification: Neutral current and leptonic B decays

Kaon physics with Lattice QCD

Contribution ID: 44

Type: not specified

Kaon physics with Lattice QCD

Theory perspectives on rare Kaon ...

Contribution ID: 45

Type: not specified

Theory perspectives on rare Kaon decays and CPV

Monday, 6 May 2019 16:30 (30 minutes)

Primary author: Prof. DAMBROSIO, GiancarloPresenter: Dr D'AMBROSIO, GiancarloSession Classification: Strange particles

Rare strange particle decays

Contribution ID: 46

Type: not specified

Rare strange particle decays

Monday, 6 May 2019 17:00 (30 minutes)

Primary author:Prof. ZAMKOVSKY, MichalPresenter:Mr ZAMKOVSKY, MichalSession Classification:Strange particles

Flavour physics connections to cos ...

Contribution ID: 47

Type: not specified

Flavour physics connections to cosmology

Tuesday, 7 May 2019 09:00 (30 minutes)

Primary author: Dr MCKEEN, DavidPresenter: MCKEEN, David (TRIUMF)Session Classification: Dark matter and flavour

Dark sectors

Contribution ID: 48

Type: not specified

Dark sectors

Tuesday, 7 May 2019 09:30 (30 minutes)

Primary author: Dr SHUVE, BrianPresenter: Dr SHUVE, BrianSession Classification: Dark matter and flavour

Dark sector searches at accelerators

Contribution ID: 49

Type: not specified

Dark sector searches at accelerators

Tuesday, 7 May 2019 10:00 (30 minutes)

Primary author: Dr ROBERTSON, StevenPresenter: Dr ROBERTSON, StevenSession Classification: Dark matter and flavour

Short-baseline neutrino experiments

Contribution ID: 50

Type: not specified

Short-baseline neutrino experiments

Monday, 6 May 2019 11:40 (30 minutes)

Primary author:Prof. OCHOA-RICOUX, PedroPresenter:Dr OCHOA-RICOUX, PedroSession Classification:Neutrinos 1

Long-baseline and atmospheric ne ...

Contribution ID: 51

Type: not specified

Long-baseline and atmospheric neutrino experiments

Tuesday, 7 May 2019 11:00 (40 minutes)

Primary author: Dr DUNNE, PatrickPresenter: Dr DUNNE, Patrick (Imperial College)Session Classification: Neutrinos 2

Neutrino cross sections

Contribution ID: 52

Type: not specified

Neutrino cross sections

Monday, 6 May 2019 12:10 (25 minutes)

Primary author: Prof. MCFARLAND, KevinPresenter: Dr MCFARLAND, KevinSession Classification: Neutrinos 1

Neutrinoless double beta decay se ...

Contribution ID: 53

Type: not specified

Neutrinoless double beta decay searches

Tuesday, 7 May 2019 12:05 (25 minutes)

Primary author: Dr HALLIN, AkselPresenter: Dr HALLIN, AkselSession Classification: Neutrinos 2

Exotic mesons

Contribution ID: 54

Type: not specified

Exotic mesons

Tuesday, 7 May 2019 14:00 (30 minutes)

Primary author: Dr BENNETT, Jake

Presenters: Dr BENNETT, Jake (University of Mississippi); Dr WANG, Xiaolong

Session Classification: Exotic hadrons

Pentaquarks

Contribution ID: 55

Type: not specified

Pentaquarks

Tuesday, 7 May 2019 14:30 (30 minutes)

Primary author:Dr CAPRIOTTI, LorenzoPresenter:Dr CAPRIOTTI, LorenzoSession Classification:Exotic hadrons

Hot topic: BESIII exotics

Contribution ID: 56

Type: not specified

Hot topic: **BESIII** exotics

Tuesday, 7 May 2019 15:00 (20 minutes)

Primary author:Dr MEZZADRI, GiulioPresenter:MEZZADRI, Giulio (INFN Ferrara)Session Classification:Exotic hadrons

Deciphering the XYZ states

Contribution ID: 57

Type: not specified

Deciphering the XYZ states

Tuesday, 7 May 2019 15:20 (30 minutes)

Primary author:Prof. VOLOSHIN, MikhailPresenter:Dr VOLOSHIN, MikhailSession Classification:Exotic hadrons

Semileptonic B decays with and w...

Contribution ID: 58

Type: not specified

Semileptonic B decays with and without LUV

Wednesday, 8 May 2019 09:00 (25 minutes)

Primary author: Dr ROBINSON, DeanPresenter: Dr ROBINSON, Dean (UC Santa Cruz)Session Classification: Semileptonic B decays

B to D*lnu at non-zero recoil

Contribution ID: 59

Type: not specified

B to D*lnu at non-zero recoil

Wednesday, 8 May 2019 09:25 (20 minutes)

Primary author: Dr VAQUERO, AlejandroPresenter: Dr VAQUERO, AlejandroSession Classification: Semileptonic B decays

LFU in charged-current B decays

Contribution ID: 60

Type: not specified

LFU in charged-current B decays

Wednesday, 8 May 2019 09:45 (30 minutes)

Primary author: Dr KLAVER, SuzannePresenter: Dr KLAVER, SuzanneSession Classification: Semileptonic B decays

Semileptonic B decays - experimen ...

Contribution ID: 61

Type: not specified

Semileptonic B decays - experimental status

Wednesday, 8 May 2019 10:15 (20 minutes)

Primary author: Dr EIASHA, WaheedPresenter: Ms WAHEED, EiashaSession Classification: Semileptonic B decays

Status of g-2 theory

Contribution ID: 62

Type: not specified

Status of g-2 theory

Monday, 6 May 2019 09:10 (30 minutes)

Primary author:Prof. LEHNER, ChristophPresenter:Dr LEHNER, ChristophSession Classification:Charged leptons

Electron EDM

Contribution ID: 63

Type: not specified

Electron EDM

Monday, 6 May 2019 09:40 (30 minutes)

Primary author:Prof. GABRIELSE, GeraldPresenter:Dr GABRIELSE, GeraldSession Classification:Charged leptons

Muon g-2 experiments

Contribution ID: 64

Type: not specified

Muon g-2 experiments

Monday, 6 May 2019 10:10 (30 minutes)

Primary author: Prof. TRAN, Hoai NamPresenter: Mr TRAN, Hoai Nam (Boston University)Session Classification: Charged leptons

The impact of flavour physics on ...

Contribution ID: 65

Type: not specified

The impact of flavour physics on high-energy searches

Thursday, 9 May 2019 09:00 (30 minutes)

Primary author: Dr YOU, TevongPresenter: Dr YOU, TevongSession Classification: High-pT physics

Top flavour physics

Contribution ID: 66

Type: not specified

Top flavour physics

Thursday, 9 May 2019 09:30 (30 minutes)

Primary author:Dr KAREEM, MohammadPresenter:Dr KAREEM, Mohammad (York University)Session Classification:High-pT physics

Higgs flavour physics

Contribution ID: 67

Type: not specified

Higgs flavour physics

Thursday, 9 May 2019 10:00 (30 minutes)

Primary author:Dr DEMERS, SarahPresenter:Dr DEMERS, Sarah (Yale University)Session Classification:High-pT physics

Track Classification: Flavor and the Higgs and Dark Sectors

Tau decay recent results

Contribution ID: 68

Type: not specified

Tau decay recent results

Thursday, 9 May 2019 10:30 (20 minutes)

Primary author:Dr EIGEN, GeraldPresenter:Dr EIGEN, GeraldSession Classification:High-pT physics

Charm mixing and CPV

Contribution ID: 69

Type: not specified

Charm mixing and CPV

Thursday, 9 May 2019 11:15 (30 minutes)

Primary author: Dr FERRARI, FabioPresenter: Dr FERRARI, FabioSession Classification: Charm physics

Hadronic charm decays and lifetimes

Contribution ID: 70

Type: not specified

Hadronic charm decays and lifetimes

Thursday, 9 May 2019 11:45 (30 minutes)

Primary author:Dr BIANCHI, FabrizioPresenter:Dr BIANCHI, FabrizioSession Classification:Charm physics

Charmonium and charm spectrosc ...

Contribution ID: 71

Type: not specified

Charmonium and charm spectroscopy

Thursday, 9 May 2019 12:15 (30 minutes)

Primary author: Dr HU, YuPresenter: Dr HU, YuSession Classification: Charm physics

Leptonic and semileptonic charm d ...

Contribution ID: 72

Type: not specified

Leptonic and semileptonic charm decays

Thursday, 9 May 2019 12:45 (30 minutes)

Primary author: Dr ZHANG, SifanPresenter: Mr ZHANG, SifanSession Classification: Charm physics
Time-dependent CPV in B decays

Contribution ID: 73

Type: not specified

Time-dependent CPV in B decays

Thursday, 9 May 2019 14:35 (30 minutes)

Primary author:Dr ANULLI, FabioPresenter:Dr ANULLI, FabioSession Classification:B physics

Measurements of gamma from ...

Contribution ID: 74

Type: not specified

Measurements of gamma from tree-level decays

Thursday, 9 May 2019 15:05 (30 minutes)

Primary author:Dr BERTOLIN, AlessandroPresenter:Dr BERTOLIN, AlessandroSession Classification:B physics

Lattice QCD: B and D decays and ...

Contribution ID: 75

Type: not specified

Lattice QCD: B and D decays and mixing

Thursday, 9 May 2019 15:35 (30 minutes)

Primary author: Dr MONAHAN, ChristopherPresenter: Dr MONAHAN, ChristopherSession Classification: B physics

Global constraints on NP including ...

Contribution ID: 76

Type: not specified

Global constraints on NP including FCNC B decays

Thursday, 9 May 2019 16:30 (30 minutes)

Primary author:Dr JAEGER, SebastianPresenter:Dr JAEGER, SebastianSession Classification:B physics

The need for future colliders

Contribution ID: 77

Type: not specified

The need for future colliders

Friday, 10 May 2019 09:00 (30 minutes)

Primary author: Dr TAIT, TimPresenter: Dr TAIT, TimSession Classification: Planning for future facilities

Future high-energy-frontier facilit ...

Contribution ID: 78

Type: not specified

Future high-energy-frontier facilities

Friday, 10 May 2019 09:30 (30 minutes)

Primary author: Dr RUAN, ManqiPresenters: Dr RUAN, Manqi; Dr SHILTSEV, VladimirSession Classification: Planning for future facilities

Future intensity-frontier hadron fa ...

Contribution ID: 79

Type: not specified

Future intensity-frontier hadron facilities

Friday, 10 May 2019 10:00 (25 minutes)

Primary author: Dr SHILTSEV, VladimirPresenter: Dr SHILTSEV, VladimirSession Classification: Planning for future facilities

Polarized electron beams at Super ...

Contribution ID: 80

Type: not specified

Polarized electron beams at SuperKEKB

Friday, 10 May 2019 10:25 (20 minutes)

Primary author: Dr RONEY, MikePresenter: Dr RONEY, MikeSession Classification: Planning for future facilities

Belle II and SuperKEKB status and ...

Contribution ID: 81

Type: not specified

Belle II and SuperKEKB status and progress

Friday, 10 May 2019 11:15 (30 minutes)

Primary author: Dr ATMACAN, HulyaPresenter: Dr ATMACAN, HulyaSession Classification: Future B physics

LHCb upgrade status and progress

Contribution ID: 82

Type: not specified

LHCb upgrade status and progress

Friday, 10 May 2019 11:45 (30 minutes)

Primary author: Dr GAMBETTA, SilviaPresenter: Dr GAMBETTA, SilviaSession Classification: Future B physics

What we will, what we might, lear ...

Contribution ID: 83

Type: not specified

What we will, what we might, learn from Belle II and the LHCb upgrade

Friday, 10 May 2019 12:15 (30 minutes)

Primary author: Dr KOU, EmiPresenter: Dr KOU, EmiSession Classification: Future B physics

TBC

Contribution ID: 84

Type: not specified

TBC

Lepton non-universality in B- ...

Contribution ID: 104

Type: not specified

Lepton non-universality in B-meson decays in the minimal leptoquark models

Wednesday, 8 May 2019 13:55 (15 minutes)

Presenter: Dr MALINSKÝ, Michal (IPNP, Charles University in Prague) **Session Classification:** Parallel session 2

Production of quarkonia and heav ...

Contribution ID: 118

Type: Contributed Oral

Production of quarkonia and heavy flavour states in ATLAS

Tuesday, 7 May 2019 17:30 (15 minutes)

Associated production of vector boson with quarkonia is a key observable for understanding the quarkonium production mechanisms, including the separation of single and double parton scattering components. This talk will present the latest differential measurements from ATLAS of associated-quarkonium production. In addition, recent results on heavy flavour production measurements are reported in the Bu and Bc systems.

Email

james.ferrando@desy.de

Primary author: Dr SEIDEL, Sally (University of New Mexico)

Presenter: Dr SEIDEL, Sally (University of New Mexico)

Session Classification: Parallel session 2

Track Classification: Heavy Quark Decays and CKM Metrology

Introduction

Contribution ID: 119

Type: not specified

Introduction

Monday, 6 May 2019 09:00 (10 minutes)

Presenter: Prof. KOWALEWSKI, Bob

Session Classification: Welcome and introduction

Announcement of FPCP 2020

Contribution ID: 120

Type: not specified

Announcement of FPCP 2020

Friday, 10 May 2019 12:45 (5 minutes)

Presenter: Dr MARTINEZ SANTOS, Diego

Session Classification: Closeout and announcement of FPCP2020

Final word

Contribution ID: 121

Type: not specified

Final word

Friday, 10 May 2019 12:55 (5 minutes)

Presenter: Dr KOWALEWSKI, Bob (University of Victoria)Session Classification: Closeout and announcement of FPCP2020

News from the IAC

Contribution ID: 122

Type: not specified

News from the IAC

Friday, 10 May 2019 12:50 (5 minutes)

Presenter: Dr LIGETI, Zoltan

Session Classification: Closeout and announcement of FPCP2020